

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/687,135

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Tuesday
Date: 4/11/2006

Time: 13:29:23

PALM INTRANET

Inventor Information for 10/687135

| Inventor Name | City | State/Country |
|-----------------------------|----------|---------------|
| <u>OSORIO, IVAN</u> | LEAWOOD | KANSAS |
| <u>FREI, MARK G.</u> | LAWRENCE | KANSAS |
| <u>BHAVARAJU, NARESH C.</u> | MISSION | KANSAS |
| <u>PETERS, THOMAS E.</u> | LAWRENCE | KANSAS |
| <u>JENSEN, RANDY M.</u> | HAMPTON | MINNESOTA |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application#

or Patent#

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | | |
|-------------------------|----------|------------------------------|--|---------|--|---------------------------|
| US 20050228461 A1 | US-PGPUB | 20051013 | Stimulation methodologies and apparatus for control of brain states | 607/45 | | Osorio, Ivan et al. |
| US 20050197590 A1 | US-PGPUB | 20050908 | System for the prediction, rapid detection, warning, prevention, or control of changes in activity states in the brain of a subject | 600/544 | | Osorio, Ivan et al. |
| US 20050021313 A1 | US-PGPUB | 20050127 | Method, computer program, and system for automated real-time signal analysis for detection, quantification, and prediction of signal changes | 702/193 | | Nikitin, Alexei V. et al. |
| US 20040158119 A1 | DERWENT | N/A, Contact help desk | | | | Osorio, Ivan et al. |
| US 20040152958 A1 | DERWENT | N/A, Contact help desk | | | | Frei, Mark G. et al. |
| US 20040138721 A1 | DERWENT | N/A, Contact help desk | | | | Osorio, Ivan et al. |
| US 20040138711 A1 | DERWENT | N/A, Contact help desk | | | | Osorio, Ivan et al. |
| US 20040138647 A1 | DERWENT | N/A, Contact help desk | | | | Osorio, Ivan et al. |
| US 20040138581 A1 | DERWENT | N/A, Contact help desk | | | | Frei, Mark G. et al. |
| US 20040138580 A1 | DERWENT | N/A, Contact help desk | | | | Frei, Mark G. et al. |
| US 20040138536 A1 | DERWENT | N/A, Contact help desk | | | | Frei, Mark G. et al. |

| | | | | | | |
|-------------------------|----------|------------------------------|--|---------|---|---------------------------------|
| US 20040138517 A1 | DERWENT | N/A, Contact help desk | | | | Osorio, Ivan et al. |
| US 20040138516 A1 | DERWENT | N/A, Contact help desk | | | | Osorio, Ivan et al. |
| US 20040133390 A1 | DERWENT | N/A, Contact help desk | | | | Osorio, Ivan et al. |
| US 20040133248 A1 | DERWENT | N/A, Contact help desk | | | | Frei, Mark G. et al. |
| US 20040133119 A1 | DERWENT | N/A, Contact help desk | | | | Osorio, Ivan et al. |
| US 20040082984 A1 | US-PGPUB | 20040429 | Multi-modal system for detection and control of changes in brain state | 607/105 | 607/113; 607/116; 977/725; 977/742; 977/900 | Osorio, Ivan et al. |
| US 20040078160 A1 | US-PGPUB | 20040422 | Method, computer program, and system for intrinsic timescale decomposition, filtering, and automated analysis of signals of arbitrary origin or timescale | 702/79 | | Frei, Mark G. et al. |
| US 20030195574 A1 | US-PGPUB | 20031016 | Vagal nerve stimulation techniques for treatment of epileptic seizures | 607/9 | | Osorio, Ivan et al. |
| US 20030187621 A1 | US-PGPUB | 20031002 | Method, computer program, and system for automated real- time signal analysis for detection, quantification, and prediction of signal changes | 702/189 | | Nikitin, Alexei V. et al. |
| US 20020072782 | US-PGPUB | 20020613 | Vagal nerve stimulation | 607/45 | | Osorio, Ivan et al. |

| | | | | | | |
|-------------------|----------|----------|--|---------|--------------------------|---------------------------|
| A1 | | | techniques for treatment of epileptic seizures | | | |
| US 20020072776 A1 | US-PGPUB | 20020613 | Vagal nerve stimulation techniques for treatment of epileptic seizures | 607/9 | | Osorio, Ivan et al. |
| US 7006859 B1 | USPAT | 20060228 | Unitized electrode with three-dimensional multi-site, multi-modal capabilities for detection and control of brain state changes | 600/378 | 607/116 | Osorio; Ivan et al. |
| US 6961618 B2 | USPAT | 20051101 | Vagal nerve stimulation techniques for treatment of epileptic seizures | 607/45 | 607/9 | Osorio; Ivan et al. |
| US 6934580 B1 | USPAT | 20050823 | Stimulation methodologies and apparatus for control of brain states | 600/545 | 600/544; 607/45; 607/62 | Osorio; Ivan et al. |
| US 6920357 B2 | USPAT | 20050719 | Vagal nerve stimulation techniques for treatment of epileptic seizures | 607/45 | 607/9 | Osorio; Ivan et al. |
| US 6904390 B2 | USPAT | 20050607 | Method, computer program, and system for automated real-time signal analysis for detection, quantification, and prediction of signal changes | 702/188 | 324/521 | Nikitin; Alexei V. et al. |
| US 6793670 B2 | USPAT | 20040921 | Multi-modal system for detection and control of changes in brain state | 607/113 | 607/99; 977/842; 977/850 | Osorio; Ivan et al. |
| US 6768969 | USPAT | 20040727 | Method, computer | 702/188 | 324/76.11 | Nikitin; |

| | | | | | | |
|------------------|-------|----------|--|---------|---------------------------------|---------------------------------|
| B1 | | | program, and system for automated real-time signal analysis for detection, quantification, and prediction of signal changes | | | Alexei V. et al. |
| US 6671556 B2 | USPAT | 20031230 | Vagal nerve stimulation techniques for treatment of epileptic seizures | 607/45 | 607/9 | Osorio; Ivan et al. |
| US 6587727 B2 | USPAT | 20030701 | Vagal nerve stimulation techniques for treatment of epileptic seizures | 607/45 | 607/17 | Osorio; Ivan et al. |
| US 6560486 B1 | USPAT | 20030506 | Bi-directional cerebral interface system | 607/45 | 600/36; 600/544 | Osorio; Ivan et al. |
| US 6549804 B1 | USPAT | 20030415 | System for the prediction, rapid detection, warning, prevention or control of changes in activity states in the brain of a subject | 600/544 | 600/300; 600/545 | Osorio; Ivan et al. |
| US 6341236 B1 | USPAT | 20020122 | Vagal nerve stimulation techniques for treatment of epileptic seizures | 607/45 | | Osorio; Ivan et al. |
| US 6313578 B1 | USPAT | 20011106 | Phosphor coating for gas discharge lamps and lamp containing same | 313/485 | 313/486; 313/635 | Mishra; Kailash C. et al. |
| US 6130511 A | USPAT | 20001010 | Neon discharge lamp for generating amber light | 315/246 | 313/485; 313/487; 315/326 | Rothwell, Jr.; Harold L. et al. |
| US 5995868 A | USPAT | 19991130 | System for the prediction, rapid detection, warning, prevention, or control of changes | 600/544 | 600/300; 600/545 | Dorfmeister; Josef et al. |

| | | | | | | |
|--------------|-------|----------|---|-----------|---|------------------------------|
| | | | in activity states in the brain of a subject | | | |
| US 5524016 A | USPAT | 19960604 | Optical emitter for amplification and process for making same | 372/40 | 252/301.4F; 372/39; 372/70 | Pappalardo; Romano G. et al. |
| US 5039449 A | USPAT | 19910813 | Method for improving a manganese activated zinc silicate phosphor | 252/301.5 | 252/301.6F | Peters; Thomas E. et al. |
| US 5017312 A | USPAT | 19910521 | Oriented chopped fiber mats and method and apparatus for making same | 264/438 | 19/296; 264/108; 361/226; 425/174.8E; 428/338; 442/409 | Peters; Thomas E. et al. |
| US 5007032 A | USPAT | 19910409 | Acoustic alert sensor | 367/136 | | Jensen; Randy M. |
| US 4979893 A | USPAT | 19901225 | Method of coating yttrium vanadate phosphors with Al.sub.2 O.sub.3 | 427/67 | 427/237; 427/255.19; 427/419.2; 427/70 | Pappalardo; Romano G. et al. |
| US 4956202 A | USPAT | 19900911 | Firing and milling method for producing a manganese activated zinc silicate phosphor | 427/215 | 252/301.5; 252/301.6F; 427/372.2 | Kasenga; Anthony F. et al. |
| US 4952422 A | USPAT | 19900828 | A method of coating a layer of an yttrium vanadate phosphor contained in a fluorescent lamp with Y.sub.2 O.sub.3 or Al.sub.2 O.sub.3 and lamps made therefrom | 427/67 | 427/107; 427/237; 427/255.19; 427/255.32; 427/343; 427/377; 427/419.2; 427/69; 427/70 | Pappalardo; Romano G. et al. |
| US 4950948 A | USPAT | 19900821 | Manganese activated zinc silicate phosphor | 313/486 | 252/301.5; 252/301.6F | Peters; Thomas E. et al. |
| US 4925703 A | USPAT | 19900515 | Firing and milling method for producing a manganese | 427/215 | 252/301.5; 252/301.6F; 427/372.2 | Kasenga; Anthony F. et al. |

| | | | | | | |
|-----------------|-------|----------|---|------------|---|------------------------------------|
| | | | activated zinc silicate phosphor | | | |
| US 4806389 A | USPAT | 19890221 | Method of treating a coated phosphor | 427/67 | 427/181; 427/214; 427/215; 427/221; 427/226; 427/230; 427/315; 427/64; 427/66; 427/71; 427/73 | Peters; Thomas E. et al. |
| US 4803400 A | USPAT | 19890207 | Pre-water-based suspension phosphor treatment process | 313/489 | 313/485; 427/215; 427/67 | Peters; Thomas E. et al. |
| US 4772417 A | USPAT | 19880920 | Process for preparing high-brightness yellow-emitting triboluminescent phosphors | 252/301.4P | 252/301.4F; 252/301.6F; 252/301.6P | Pappalardo; Romano G. et al. |
| US 4757233 A | USPAT | 19880712 | Efficient UV-emitting phosphors based on cerium-activated calcium pyrophosphate and lamps containing the same | 313/486 | 252/301.4P | Peters; Thomas E. et al. |
| US 4749513 A | USPAT | 19880607 | Green emitting phosphor | 252/301.4H | | Collins; John et al. |
| US 4664856 A | USPAT | 19870512 | Method of treating materials to improve their conductance for use in the manufacture of directionally aligned materials | 264/438 | 162/192; 264/484 | Talbott; John W. et al. |
| US 4647399 A | USPAT | 19870303 | Process for producing Ce-Mn coactivated fluoroapatite phosphors as the yellow emitting component for high | 252/301.4P | 252/301.4H; 313/486 | Peters; Thomas E. et al. |

| | | | | | | | |
|--------------|-------|----------|--|--|------------|--|------------------------------|
| | | | efficacy lamp blends | | | | |
| US 4499005 A | USPAT | 19850212 | Infrared emitting phosphor | | 252/301.6S | 252/301.6R | McColl; James R. et al. |
| US 4453179 A | USPAT | 19840605 | Variable color cathodoluminescent composition, method, and display device utilizing same | | 348/381 | 252/301.6P; 313/467; 315/383 | Peters; Thomas E. et al. |
| US 4450135 A | USPAT | 19840522 | Method of making electrical contacts | | 419/12 | 200/265; 252/513; 419/27; 419/31; 419/33; 419/47; 75/244; 75/247; 75/254 | Peters; Thomas E. et al. |
| US 4446049 A | USPAT | 19840501 | Yellow-emitting halophosphate phosphor of improved brightness and method | | 252/301.6P | 252/301.4H; 252/301.4P | Pappalardo; Romano G. et al. |
| US 4415324 A | USPAT | 19831115 | Apparatus for producing a mat of directionally oriented lignocellulosic particles having cross-machine orientation | | 425/83.1 | 425/174.8E | Henckel; David J. et al. |
| US 4390449 A | USPAT | 19830628 | Method of preparing stoichiometric zinc silicate phosphor with improved brightness and persistence | | 252/301.6F | | Peters; Thomas E. et al. |
| US 4361033 A | USPAT | 19821130 | Method for selecting an additive for electrical contacts | | 73/64.48 | 252/500 | Kim; Han J. et al. |
| US 4359151 | USPAT | 19821116 | Distribution | | 198/525 | 425/81.1; | Fyie; Joseph |

| | | | | | | |
|-----------------|-------|----------|---|------------|---|--------------------------------|
| A | | | apparatus | | 425/83.1 | A. et al. |
| US 4347202 A | USPAT | 19820831 | Method for production of directionally oriented lignocellulosic products, including means for cross-machine orientation | 264/438 | 264/113; 264/460 | Henckel; David J. et al. |
| US 4336313 A | USPAT | 19820622 | Luminescent material, method of making, and screens employing same | 428/691 | 252/301.6F; 313/467 | Peters; Thomas E. et al. |
| US 4323338 A | USPAT | 19820406 | Apparatus for orientation and deposition of discrete lignocellulosic materials | 425/174.8E | 425/456 | Peters; Thomas E. et al. |
| US 4322380 A | USPAT | 19820330 | Method for feeding and orienting fibrous furnish | 264/438 | 156/62.2; 19/144; 19/296; 198/532; 264/109; 264/40.1; 264/460 | Bleymaier; Joseph S. et al. |
| US 4315190 A | USPAT | 19820209 | Zinc silicate phosphor with extended florescence decay and cathode ray tube containing the same | 313/467 | 252/301.6F | Peters; Thomas E. et al. |
| US 4294616 A | USPAT | 19811013 | Electrical contacts | 75/234 | 200/266; 419/21; 428/565; 428/929 | Kim; Han J. et al. |
| US 4287140 A | USPAT | 19810901 | Method for orientation and deposition of lignocellulosic material in the manufacture of pressed comminuted | 264/439 | 264/442; 264/460; 264/69 | Peters; Thomas E. et al. |

| | | | | | | |
|-----------------|-------|----------|---|------------|---|-----------------------------------|
| | | | products having directional properties | | | |
| US 4284595 A | USPAT | 19810818 | Orientation and deposition of fibers in the manufacture of fiberboard | 264/438 | 156/273.1; 156/62.2; 19/296; 264/108; 264/109; 264/460; 425/174.8E; 425/83.1 | Peters; Thomas E. et al. |
| US 4255108 A | USPAT | 19810310 | Furnish handling apparatus | 425/174.8E | 19/296; 198/533; 264/109; 264/439; 264/460 | Bleymaier; Joseph S. et al. |
| US 4217139 A | USPAT | 19800812 | Process of preparing an electrical contact material | 419/21 | 419/57; 419/58 | Kim; Han J. et al. |
| US 3903841 A | USPAT | 19750909 | Vacuum holder in epitaxial growth apparatus | 118/50 | 118/52 | Peters; Thomas E. |
| US 3862296 A | USPAT | 19750121 | CONVERSION PROCESS FOR WASTE NITROGEN-CONTAINING COMPOUNDS | 423/251 | 210/719; 210/903; 422/139; 423/19; 423/261; 423/351 | Dotson; James M. et al. |
| US 3742277 A | USPAT | 19730626 | FLYING SPOT SCANNER HAVING SCREEN OF STRONTIUM THIOGALLTE COACTIVATED BY TRIVALENT CERIUM AND DIVALENT LEAD | 313/467 | 252/301.4S; 313/468 | Peters; Thomas E. |
| US 3639254 A | USPAT | 19720201 | ALKALINE EARTH THIOGALLATE PHOSPHORS | 252/301.4S | | Peters; Thomas E. |